

Probenahme und Laborprogramm Pankower Tor – Westfläche

Anhang 3

Bodenproben aus Sondierungen:

Sondierung Nr.	Schicht-Nr.	Entnahmetiefe von... bis in m	Untersuchung auf
W1	1	0,10 – 0,90	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW
	2	0,90-2,50	RS
	3	2,50-5,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW
W2	1	0,10-1,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	1	1,00-2,60	RS
	2	2,60-4,10	RS
	3	4,10-4,60	RS
W3	4	4,60-5,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW + BTEX
	1	0,10-0,70	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW
	2	0,70-2,90	RS
W4	3	2,90-5,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW
	1	0,10-0,60	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	0,60-1,80	RS
W5	3	1,80-5,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW + BTEX
	1	0,10-1,10	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW
	2	1,10-3,80	RS
W6	3	3,80-5,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW
	1	0,10-0,90	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	0,90-4,40	RS
W7	3	4,40-5,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW + BTEX
	1	0,10-1,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW
	2	1,00-3,50	RS
W8	3	3,50-5,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW
	1	0,10-2,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW
	2	2,00-4,20	RS
W9	3	4,20-5,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW + BTEX
	1	0,10-2,50	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW
	2	2,50-5,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW
W10	1	0,10-0,80	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	0,80-4,50	RS
	3	4,50-5,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW + BTEX
W11	1	0,10-0,50	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW
	2	0,50-4,20	RS
	3	4,20-5,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW
W12	1	0,10-2,50	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW + BTEX
	2	2,50-5,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW + BTEX
	1	0,40-1,90	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW
W13	2	1,90-5,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW
	1	0,10-4,50	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW + BTEX
	2	4,50-5,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW + BTEX
W14	1	0,30-1,80	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW
	2	1,80-4,00	RS
	3	4,00-5,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW
W15	1	0,10-1,70	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW + BTEX
	2	1,70-4,30	RS
	3	4,30-5,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW + BTEX
W16	1	0,10-1,30	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW
	2	1,30-4,00	RS
	3	4,00-5,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW
W17	1	0,10-0,50	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW + BTEX
	2	0,50-1,70	RS
	3	1,70-4,70	RS
	4	4,70-5,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW + BTEX

Sondierung Nr.	Schicht-Nr.	Entnahmetiefe von... bis in m	Untersuchung auf
W19	1	0,20-1,10	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW
	2	1,10-5,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW
W20	1	0,10-0,50	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW + BTEX
	2	0,50-4,10	RS
	3	4,10-5,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW + BTEX
W21	1	0,50-1,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW
	2	1,00-5,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW
W22	1	0,10-1,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW + BTEX
	2	1,00-5,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW + BTEX
W23	1	0,10-2,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW
	2	2,00-5,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW
W24	1	0,10-0,50	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW + BTEX
	2	0,50-4,50	RS
	3	4,50-5,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW + BTEX
W25	1	0,30-2,50	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW
	2	2,50-5,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW
W26	1	0,10-1,80	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW + BTEX
	2	1,80-4,40	RS
	3	4,40-5,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW + BTEX
W27	1	0,40-3,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW
	2	3,00-5,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW
W28	1	0,10-0,50	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW + BTEX
	2	0,50-3,00	RS
	3	3,00-3,80	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW + BTEX
W29	1	0,10-1,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW
	2	1,00-4,30	RS
	3	4,30-5,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW
W30	1	0,10-1,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW + BTEX
	2	1,00-4,30	RS
	3	4,30-5,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW + BTEX
W31	1	0,10-2,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW
	2	2,00-5,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW
W32	1	0,10-1,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW + BTEX
	2	1,00-4,60	RS
	3	4,60-4,65	RS
	4	4,65-4,70	RS
	5	4,70-5,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW + BTEX
W33	1	0,10-0,60	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW
	2	0,60-4,00	RS
	3	4,00-5,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW
W34	1	0,10-2,50	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW + BTEX
	2	2,50-5,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW + BTEX
W35	1	0,10-4,50	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW
	2	4,50-5,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW
W36	1	0,10-1,50	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW + BTEX
	2	1,50-4,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW + BTEX
W37	1	0,10-4,60	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW
	2	4,60-5,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW
W38	1	0,10-2,50	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW + BTEX
	2	2,50-5,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW + BTEX

RS= Rückstellprobe

Flächenbeprobungen F1-F12:

Fläche	Schicht-Nr.	Entnahmetiefe von... bis in m	Untersuchung auf
W_F1	1	0,00-0,10	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW
	2	0,10-0,35	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW
W_F2	1	0,00-0,10	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW
	2	0,10-0,35	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW
W_F3	1	0,00-0,10	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW
	2	0,10-0,35	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW
W_F4	1	0,00-0,10	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW
	2	0,10-0,35	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW
W_F5	1	0,00-0,10	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW
	2	0,10-0,35	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW
W_F6	1	0,00-0,10	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW
	2	0,10-0,35	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW
W_F7	1	0,00-0,10	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW
	2	0,10-0,35	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW
W_F8	1	0,00-0,10	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW
	2	0,10-0,35	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW
W_F9	1	0,00-0,10	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW
	2	0,10-0,35	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW
W_F10	1	0,00-0,10	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW
	2	0,10-0,35	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW
W_F11	1	0,00-0,10	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW
	2	0,10-0,35	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW
W_F12	1	0,00-0,10	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW
	2	0,10-0,35	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW