

Probenahme und Laborprogramm Pankower Tor – Ostfläche

Anhang 7

Bodenproben aus Sondierungen:

Sondierung Nr.	Schicht-Nr.	Entnahmetiefe von...bis in m	Untersuchung auf
O1	1	0,10-1,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,00-2,50	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	2,50-3,00	RS
	4	3,00-4,00	RS
O2	1	0,10-1,40	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,40-2,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	2,00-3,00	RS
	4	3,00-4,00	RS
O3	1	0,10-1,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,00-2,40	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	2,40-4,00	RS
O4	1	0,10-1,10	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,10-1,70	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	1,70-2,70	RS
	4	3,00-4,00	RS
O5	1	0,10-1,30	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,30-2,50	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	2,50-4,00	RS
O6	1	0,10-1,30	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,30-2,50	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	2,50-4,00	RS
O7	1	0,10-1,10	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,10-2,70	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	2,70-4,00	RS
O8	1		nicht durchgeführt
O9	1	0,10-1,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,00-2,50	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	2,50-4,00	RS
O10	1	0,10-1,50	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,50-2,50	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	2,50-4,00	RS
O11	1	0,15-0,90	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	0,90-1,80	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	1,80-3,10	RS
	4	3,10-4,00	RS
O12	1	0,10-1,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,00-2,40	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	2,40-3,40	RS
	4	3,40-4,00	RS
O13	1	0,10-1,50	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,50-3,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	3,00-4,00	RS
O14	1	0,20-1,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,00-2,50	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	2,50-4,00	RS
O15	1	0,10-1,50	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,50-3,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	3,00-4,00	RS
O16	1	0,15-1,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,00-2,50	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	2,50-3,00	RS
	4	3,00-4,00	RS
O17	1	0,10-1,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
O18	1	0,10-1,50	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,50-3,50	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX

Sondierung Nr.	Schicht-Nr.	Entnahmetiefe von...bis in m	Untersuchung auf
	3	3,50-4,00	RS
O19	1	0,10-1,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,00-1,90	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	1,90-4,00	RS
O20	1	0,20-2,40	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
O21	1	0,10-1,80	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,80-3,50	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	3,50-4,00	RS
O22	1	0,20-1,50	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,50-2,90	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	2,90-4,00	RS
O23	1	0,10-1,80	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,80-3,50	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	3,50-4,00	RS
O24	1	0,15-1,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,10-1,80	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	1,80-2,60	RS
	4	2,60-4,00	RS
O25	1	0,10-1,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,00-2,30	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	2,30-3,20	RS
O26	1	0,10-1,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,00-1,80	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	1,80-3,50	RS
	4	3,50-4,00	RS
O27	1	0,10-1,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,00-1,60	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	1,60-2,40	RS
	4	2,40-4,00	RS
O28	1	0,10-1,50	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,50-2,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	2,00-4,00	RS
O29	1	0,10-1,50	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,50-2,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	2,00-2,50	RS
	4	2,50-4,00	RS
O30	1	0,10-1,20	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
O31	1	0,15-1,10	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,10-2,10	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	2,10-3,10	RS
	4	3,10-4,00	RS
O32	1	0,15-1,20	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,20-1,90	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	1,90-4,00	RS
O33	1	0,10-1,30	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
O34	1	0,10-1,30	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,30-2,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	2,00-3,00	RS
	4	3,00-4,00	RS
O35	1	0,10-1,10	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,10-1,60	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	1,60-3,00	RS
	4	3,00-4,00	RS
O36	1	0,10-1,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,00-1,70	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX

Sondierung Nr.	Schicht-Nr.	Entnahmetiefe von...bis in m	Untersuchung auf
	3	1,70-3,20	RS
	4	3,20-4,00	RS
O37	1	0,10-1,80	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,80-3,50	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	3,50-4,00	RS
O38	1	0,20-1,70	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
O39	1	0,20-2,40	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
O40	1	0,10-1,80	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,80-3,50	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	3,50-4,00	RS
O41	1	0,10-1,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,00-1,90	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	1,90-2,60	RS
	4	2,60-4,00	RS
O42	1	0,10-1,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,00-2,10	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	2,10-3,70	RS
	4	3,70-4,00	RS
O43	1	0,10-0,90	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	0,90-1,90	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	1,90-3,50	RS
	4	3,50-4,00	RS
O44	1	0,25-1,20	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,20-1,80	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	1,80-2,30	RS
	4	2,30-3,40	RS
	5	3,40-4,00	RS
O45	1	0,10-1,20	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
O46	1	0,10-1,40	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,40-1,90	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	1,90-4,00	RS
O47	1	0,90-1,50	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,50-1,80	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	1,80-2,40	RS
	4	2,40-4,00	RS
O48	1	0,10-1,20	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,20-2,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	2,00-3,00	RS
	4	3,00-4,00	RS
O49	1	0,10-1,50	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,50-2,70	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	2,70-3,90	RS
O50	1	0,10-0,80	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	0,80-1,90	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	1,90-2,90	RS
	4	2,90-4,00	RS
O51	1	0,10-1,60	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,60-1,90	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	1,90-2,60	RS
	4	2,60-4,00	RS
O52	1	0,15-1,50	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,50-3,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	3,00-3,60	RS
	4	3,60-4,00	RS
O53	1	0,10-1,50	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX

Sondierung Nr.	Schicht-Nr.	Entnahmetiefe von...bis in m	Untersuchung auf
	2	1,50-2,80	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	2,80-4,00	RS
O54	1	0,10-0,70	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	0,70-3,80	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	3,80-4,00	RS
O55	1	0,10-1,20	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,20-2,70	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	2,70-4,00	RS
O56	1	0,10-1,80	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,80-3,50	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	3,50-4,00	RS
O57	1	0,10-1,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,00-2,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	2,00-3,30	RS
	4	3,30-4,00	RS
O58	1	0,10-1,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,00-1,80	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	1,80-2,60	RS
	4	2,60-4,00	RS
O59	1	0,10-1,60	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,60-2,40	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	2,40-2,80	RS
	4	2,80-4,00	RS
O60	1	0,20-0,90	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	0,90-1,90	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	1,90-3,00	RS
	4	3,00-4,00	RS
O61	1	0,10-1,20	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,20-1,90	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	1,90-2,90	RS
	4	2,90-4,00	RS
O62	1	0,10-0,60	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
O63	1	0,10-1,80	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,80-2,50	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	2,50-2,90	RS
	4	2,90-4,00	RS
O64	1	0,10-1,50	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,50-2,10	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	2,10-3,00	RS
	4	3,00-4,00	RS
O65	1	0,10-2,40	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	2,40-2,90	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	2,90-4,00	RS
O66	1	0,20-1,20	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,20-2,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	2,00-4,00	RS
O67	1	0,20-1,50	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,50-2,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	2,00-4,00	RS
O68	1	0,10-1,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,00-1,60	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	1,60-3,00	RS
	4	3,00-4,00	RS
O69	1	0,10-1,10	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,10-3,60	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX

Sondierung Nr.	Schicht-Nr.	Entnahmetiefe von...bis in m	Untersuchung auf
	3	3,60-4,00	RS
O70	1	0,20-2,90	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	2,90-3,60	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	3,60-4,00	RS
O71	1	0,10-1,60	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,60-2,10	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	2,10-4,00	RS
O72	1	0,10-1,40	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
O73	1	0,20-1,10	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,10-3,40	RS
	3	3,40-3,80	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	4	3,80-4,00	RS
O74	1	0,10-1,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,00-1,90	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	1,90-3,50	RS
	4	3,50-4,00	RS
O75	1	0,05-1,80	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,80-3,40	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	3,40-4,00	RS
O76	1	0,05-0,80	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	0,80-2,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	2,00-4,00	RS
O77	1	0,10-1,80	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,80-3,30	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	3,30-4,00	RS
O78	1	0,10-1,60	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,60-1,90	RS
	3	1,90-3,60	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	4	3,60-4,00	RS
O79	1	0,30-1,50	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,50-1,90	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	1,90-3,30	RS
	4	3,30-4,00	RS
O80	1	0,20-1,50	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,50-2,50	RS
	3	2,50-4,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
O81	1	1,10-1,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,00-2,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
O82	1	0,20-1,50	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,50-2,10	RS
	3	2,10-3,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
O83	1	0,10-1,20	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,20-1,90	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	1,90-3,50	RS
	4	3,50-4,00	RS
O84	1	0,10-1,50	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,50-2,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	2,00-3,30	RS
	4	3,30-4,00	RS
O85	1	0,10-1,50	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,50-2,60	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	2,60-4,00	RS
O86	1	0,30-1,70	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,70-2,40	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	2,40-4,00	RS

Sondierung Nr.	Schicht-Nr.	Entnahmetiefe von...bis in m	Untersuchung auf
O87	1	0,05-1,70	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,70-2,10	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	2,10-3,90	RS
O88	1	0,05-1,80	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,80-2,90	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	2,90-3,50	RS
	4	3,50-4,00	RS
O89	1	0,00-1,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,00-1,80	RS
	3	1,80-2,90	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	4	2,90-4,00	RS
O90	1	0,00-1,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,00-2,20	RS
	3	2,20-3,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	4	3,00-4,00	RS
O91	1	0,00-1,70	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,70-2,50	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	2,50-3,80	RS
	4	3,80-4,00	RS
O92	1	0,00-1,80	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,80-2,40	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	2,40-3,50	RS
	4	3,50-4,00	RS
O93	1	0,00-1,60	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,60-2,50	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	2,50-3,20	RS
	4	3,20-4,00	RS
O94	1	0,20-1,50	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,50-2,05	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	2,05-3,00	RS
	4	3,00-4,00	RS
O95	1	0,20-3,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	3,00-4,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
O96	1	0,20-2,50	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	2,50-4,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
O97	1	0,20-1,10	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,10-3,20	RS
	3	3,20-4,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
O98	1	0,20-2,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	2,00-4,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
O99	1	0,20-2,60	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	2,60-4,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
O100	1	0,20-2,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	2,00-4,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
O101	1	0,10-2,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	2,00-4,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
O102	1	0,10-2,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	2,00-4,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
O103	1	0,10-1,50	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,50-3,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	3,00-4,00	RS
O104	1	0,10-1,80	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,80-4,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
O105	1	0,10-2,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	2,00-4,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX

Sondierung Nr.	Schicht-Nr.	Entnahmetiefe von...bis in m	Untersuchung auf
O106	1	0,10-0,70	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	0,70-1,60	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	1,60-2,10	RS
	4	2,10-2,80	RS
	5	2,80-4,00	RS
O107	1	0,10-1,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	1,00-1,70	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	1,70-3,00	RS
	4	3,00-4,00	RS
O108	1	0,10-2,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	2,00-4,00	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
O109	1	0,10-0,70	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	0,70-1,60	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	1,60-2,70	RS
O110	1	0,40-0,80	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	2	0,80-1,20	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, Cyanide, EOX, PAK, Phenol, MKW+ BTEX
	3	1,20-1,80	RS
	4	1,80-4,00	RS

RS=Rückstellprobe

Flächenbeprobungen in Kleingärten:

Fläche	Schicht-Nr.	Entnahmetiefe von...bis in m	Untersuchung auf
OParz 19	1	0,05-0,30	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, EOX, PAK, Phenol + Pb, Cd (AN)
	2	0,30-0,60	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, EOX, PAK, Phenol + Pb, Cd (AN)
OParz 36	1	0,05-0,30	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, EOX, PAK, Phenol + Pb, Cd (AN)
	2	0,30-0,60	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, EOX, PAK, Phenol + Pb, Cd (AN)
OParz 37	1	0,05-0,30	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, EOX, PAK, Phenol + Pb, Cd (AN)
	2	0,30-0,60	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, EOX, PAK, Phenol + Pb, Cd (AN)

AN = Ammoniumnitrat-aufschluss

Wasserproben aus Grundwassermessstellen:

Nr.	Untersuchung auf
GWM1	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, PAK, Phenol, MKW, BTEX, LHKW
GWM2	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, PAK, Phenol, MKW, BTEX, LHKW
GWM3	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, PAK, Phenol, MKW, BTEX, LHKW
P1	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, PAK, Phenol, MKW, BTEX, LHKW
P2	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, PAK, Phenol, MKW, BTEX, LHKW
P3	As, Pb, Cd, Zn, Cu, Cr, Ni, Hg, PAK, Phenol, MKW, BTEX, LHKW